



Synergy 0.50 Stretch Wrapper



Designed for the low volume industrial user, the Synergy .5 is the affordable solution for unitizing your loads while stretching the film further and wrapping the loads tighter and at a lower cost than manual handwrap applications. Press the foot switch and the turntable rotates while the operator applies the film up or down. The film carriage is counterbalanced for easy placement of the film on the load. Use standard handwrap from 12 to 18 inches wide.

The patented STRETCH SET™ film delivery system delivers the flexibility to adjust film stretch to match your load-holding requirements. The heavy-duty 65" diameter turntable is adjustable from 0–12 rpm and can be loaded with a forklift or with a pallet jack using an optional ramp

- Stretch Set™, Adjustable Film Force-to-Load
- Easy Lift Manually Operated Counterweight Film Delivery Carriage
- Wrap Height to 80"
- AC vector drives with digital readout
- ½ HP Leeson AC Turntable Motor
- Heavy Duty all Steel Construction
- 65" Diameter Smooth Turntable Top (easy pallet jack loading), 0 - 12 RPM
- 4,000 Pound Load Weight Capacity
- Low 2 5/8" Table Height; V-Belt drive
- 120 Volt, 15 Amp Electrical
- Powder coated with a high-quality polyester for a lasting, durable finish

Note: The Synergy Stretch Wrappers is a product trademark of Highlight Industries.





Synergy 1.00 Stretch Wrapper



The Synergy 1 Low Profile system will stretch wrap any standard sized loads up to 80" using Highlight's patent pending Stretch-Set™ film delivery system. The Stretch-Set system precisely controls film stretch from 60% to 125%, maximizing package strength and film economy while allowing you to preset desired film stretch for repeatable stretch levels, load after load.

- Relay Logic Control
- Adjustable Film Force-to-Load
- AC vector drives with digital readout
- AC Motors
- 65" diameter smooth turntable top (easy pallet jack loading), 0 - 12 RPM
- Heavy Duty all Steel Construction
- 80" Wrap Height Capacity
- 120 Volt, 15 Amp electrical

OPTIONS AVAILABLE

- Allen-Bradley MicroLogix 1000 PLC,
- Height Sensing Photo-Eye,
- Top and Bottom Wrap Counters and Table Home Position.

Note: The Synergy Stretch Wrappers is a product trademark of Highlight Industries.





Synergy 1.50 Stretch Wrappers



The Synergy 1.5 will stretch wrap any load up to 80" with preset fixed-gear stretch level and full independent control of the film force. The Synergy 1.5 standard pre-stretch level is 200%, this allows even light unstable loads to be wrapped at the lowest possible cost and the maximum load holding force.

- Fixed-gear Pre-Stretch: 200% standard, other percentages available (please see bottom)
- Independently adjustable film force-to-load
- Allen Bradley MicroLogix 1200 PLC
- AC vector drives with digital readout
- "Off-the-Shelf" electrical components & control knobs / dials
- AC vector drives with digital readout
- AC Motors
- Heavy Duty all steel construction
- 65" diameter smooth turntable top (easy pallet jack loading), 0 - 12 RPM
- Low 2 5/8" table height; V-Belt drive
- 120 Volt 20 Amp electrical

Note: The Synergy Stretch Wrappers is a product trademark of Highlight Industries.

